

Technical Parameters:

Model	LabStar 330HD
Printhead Resolution	1200 DPI
Ink Configuration	
Ink Type	UV Ink
Color Config	Standard mode: W+CMYK; Optional: 3 spot colors (O, G, V)
Print Substrates	
Applicable Materials	PET/PVC/PP/PE/BOPP and other films, synthetic papers, coated papers, aluminum foils, etc.
Material Width	75-350 mm
Max. Roll Dia.	800 mm
Roll Core Dia.	3" (air shaft)
Material Thickness	0.02-0.5 mm
Feeding Method	Roll to Roll
Roll Change Method	Dual-arm pneumatic lifting
Equipment Specifications	
Dimensions	5020*1600*2130 mm (L * W * H)
Net Weight	4900 KG
Power	40kW / AC 380V
Air Requirement	Industrial air source 0.6-0.8 Mpa, clean and water-free
Operating Temperature	18-25°C, independent, clean, low-dust, low-light, well-ventilated
Relative Humidity	40-65% (no condensation)
Input Formats	TIFF, PDF, etc.
UV Curing	Combined UV drying (LED+UV Mercury)
Data Transmission	High-speed PCIE
Additional Features	Tension detection, corona treatment, dust removal, static elimination, modular drying, paper break detection, print height setting, automatic ink consumption detection, full servo control system, etc.

Industrial Digital Inkjet Comprehensive Solution Provider



Independent printhead-drive technology



Self-developed control system



Self-developed MES system



Independent ink industrial chain



Remote service maintenance system and local services

Digital Inkjet System

LabStar 330HD integrates Single Pass on-demand inkjet and 1200 DPI technology. Ideal for label, flexible packaging, and product display production, it ensures efficient, high-quality, continuous, and stable operations. With improved performance, it offers better image quality and faster delivery, helping you meet market demands at a lower cost and higher output.


HANGLORY GROUP

Enhanced Productivity—Max. Print Speed: 120 m/min

New 1200DPI industrial piezo-ceramic printheads boost speed, reaching up to 120 m/min. Stable high-speed printing is ensured by Single Pass and piezo inkjet technologies. The integrated inkjet control system monitors all components of the printing system in real time. The efficient order management system allows for file loading without machine stoppage, enabling seamless job changes and higher efficiency.

Industry-Leading Quality—Max. Resolution: 1200*1200 DPI

Smaller dots and finer ink droplets, performing well in presenting complex patterns and fine text. With a max. ink droplet of 4 pl for vivid colors and a min. of 2 pl for sharp details. Achieves smoother gradients and clearer graphic and text details. Expanding the color gamut.



New 8-Color Mode—Supports W+CMYK+OVG

New Color Mode	Standard	Options	Enhancement Module
Upgraded from 7-color, with over 93% Pantone coverage.	W+CMYK	3 sets of spot colors (O, V, G) to improve color gamut.	Additional enhancement modules, e.g., flexo, digital foiling, digital varnish, etc., can be integrated for added functionality.



Durable & Cost-Effective

- Double-wall panel Unwind/Rewind: Stronger structure for fast coil handling.
- Servo Unwind/Rewind System: Stable tension reduces material waste.
- Innovative Structure: Less waste, better performance.
- Super Save System: Seamless job change with web rewind system to prevent material loss from one job to another.
- Modular Design: Solid build, less space.
- Auto Printhead Maintenance: One Touch clearing, to minimize maintenance cost.

Technologies & Functions

Master Core Inkjet Technologies—Single Pass

Based on precise design and HanGlory's strength, HanGlobal's Single Pass technology meets diverse high-speed printing needs across its digital label press series.

HANGLORY GROUP

Self-Developed Printhead-Drive Technology

HanGlobal has developed its own printhead drive and overall control systems. This helps customers maximize printhead performance and get comprehensive tech support for production challenges.

Mature Piezoelectric Inkjet Technology

Over 10 years of cooperation with top Japanese printhead brands. Precise ink control from this mature technology suits complex designs and fine text.



Diverse Functions

- **Pre-Registration for Overprinting**
Reduces waste in overprinting, cuts the reject rate, and boosts material use.
- **Anti-Power-Outage Negative Pressure Protection**
Stops ink leakage during power outages, protecting equipment and materials.
- **Full Servo Control System**
Precise servo control for accurate printing within the whole printing process.
- **Modular Drying Components**
Dries ink fast to avoid ink dispersion on high speed printing.
- **Corona Treatment, Dust Removal, Static Elimination**
Corona treatment improves ink adhesion, dust removal cleans the surface, and static elimination for plastic materials to reduces issues during printing processes.



Comprehensive Detection Technologies

- **Warpage Detection & Automatic Avoidance**
Reduces losses from material warpage, protects the printhead, cuts downtime, and saves materials.
- **Tension Detection**
Stable web tension for all types of material to rewind in prefect tension.
- **Paper Break Detection**
Monitoring web path in the whole printing process, instant stop to prevent down time during printing processes.
- **Print Height Setting Function**
Adjusts printhead parameters according to material thickness to avoid crashing and scratching on printhead.
- **Automatic Ink-Consumption Detection**
Precise ink monitoring and calculation optimize ink use and control costs.

Ink & Applications

High-Performance UV Ink

We keep developing high-performance UV ink for better weather resistance, faster drying, and vivid colors. They offer great print quality with less ink and are eco-friendly.

- Fast-Drying
- Strong Material Adaptability
- Enhanced Weather Resistance
- High Color Saturation
- High Abrasion Resistance
- High Sunlight Resistance



Achieved Fogra PSD Certification Setting a New Standard in Digital Printing

Color Accuracy: Achieving consistent and precise color reproduction.
Process Control: Ensuring repeatable and stable printing production.
Workflow Compliance: Using a PDF/X workflow to guarantee consistent quality and color fidelity.



Achieved Idealliance G7® Colorspace Certification

Data-driven and standardized production processes. Maintaining long-term, stable, and repeatable printing quality. This accomplishment ensures our clients receive prints with superior color accuracy and consistency.

HANGLORY GROUP

Printing Substrates

Papers	Films	Specials
Coated, Matte, Thermal, Synthetic, Specialty, etc.	PE, PP, PVC, PET, and other synthetic films	Unlimited length (long images achievable via tiling) Metal aluminum foil, ABL/PBL, folding cartons, etc.

Wide-Ranging Applications

Cosmetics & Personal Care

Food, Beverage, Wine Labels

Apparel

Flexible Packaging

3C Labels

Cosmetic Packaging

Pharmaceutical Labels

Logistics & Warehousing


VDP

Special Packaging

Model Solutions(Optional)

Roll-to-Roll Solution (Standard)

Integrated Full-Process Roll-to-Roll Production



Combination Solutions (Optional)

Supports Flexible Expansion into a Hybrid Combination Production Line

- Flexo Printing Unit**
Supports multi-color installation.
Can be flexibly added before or after the inkjet unit.
Enables multi-process label formation in a single pass.
True Pantone® coverage (achieving genuine spot colors).
- Enhancement Unit**
Perfectly achieve digital hot foiling, cold foiling and varnishing processes.
Precise ink control with adjustable ink thickness, delivering fine 3D text effects.
- Die-Cutting and Finishing Unit**
Integrated post-processing module for inline production and finished product rewinding.
Additional post-processing options available for customer selection.
- Other Units**
Lamination, compounding, waste removal, and other functional modules.